



WARRANTY



FD 30
(OPTIONAL)



ANTI-SLAM
(OPTIONAL)

POCKET DOORS...
made easy!

NOT ALL POCKET DOOR SYSTEMS ARE THE SAME



YOU GET THE WHOLE PACKAGE WITH ECLISSE POCKET DOOR SYSTEMS...

A FULL GALVANISED STEEL POCKET Not just a track and a few slats of wood

A QUICK-CLICK FRAME Quick and simple to install

A QUALITY TIMBER LINING KIT For a truly professional finish

EXTRACTABLE TRACK Extract the track and running gear and retrofit accessories without ever having to break into the wall

RELIABILITY GUARANTEED Comprehensively tested, nothing left to chance

MADE SPECIFICALLY FOR THE UK Just pick a kit to fit your door size, it's as easy as that

ECLISSE THE RIGHT CHOICE FOR THE RIGHT REASONS



...MUCH MORE

NEXT WORKING DAY DELIVERY on all stock items. Just order before noon on a working day

FREE DELIVERY on all stock frames and accessories on the same order

FD30 APPROVED - 30 minute fire-rated singles and doubles

EXPERT TECHNICAL ADVICE from our UK based Customer Service Team

ACCESSORIES - a great range of useful accessories and door furniture

THE CHOICE IS THERE!

STANDARD COMES AS STANDARD!



use **STANDARD** doors, metric or imperial

use **STANDARD** door thicknesses 35 or 44 mm


use **STANDARD** 12.5 mm plasterboard (we even supply the screws!)

use **STANDARD** stud work, metal or wood, for 100 mm or 125 mm finished walls*

THE ONLY THING SPECIAL IS THE ECLISSE SYSTEM ITSELF!

* Other variations available see page 11.

CLASSIC COLLECTION: ORDER OF WORK



1.	ASSEMBLE THE FRAME	15 minutes
2.	SCREW FRAME INTO THE STUDWORK	15 minutes
3.	FIT THE DOOR (TWO BRACKETS AND A PROFILE)	15 minutes
4.	FIT JAMBS	45 minutes



YOU CAN FIT THE PLASTERBOARD FROM THIS POINT ANYTIME BEFORE FITTING THE JAMBS.


THAT'S IT !

IN A COUPLE OF HOURS YOU'LL HAVE A BEAUTIFUL POCKET DOOR. PLUS YOU WILL HAVE CREATED A LOT MORE USABLE SPACE AND HAVE THE BEST POSSIBLE RESULT - GUARANTEED!


CLASSIC SINGLE



CHOOSE EITHER




DOOR SIZE		PASSAGE SIZE	FRAME SIZE
STANDARD DW x DH		STANDARD PW x PH	STANDARD W x H
626 x 2040 mm	=	600 x 2030 mm	1288 x 2115 mm
726 x 2040 mm	=	700 x 2030 mm	1488 x 2115 mm
826 x 2040 mm	=	800 x 2030 mm	1688 x 2115 mm
926 x 2040 mm	=	900 x 2030 mm	1888 x 2115 mm
1026 x 2040 mm	=	1000 x 2030 mm	2088 x 2115 mm
2ft. 0in. x 6ft. 6in. (610 x 1981 mm)	=	585 x 1971 mm	1273 x 2056 mm
2ft. 3in. x 6ft. 6in. (686 x 1981 mm)	=	661 x 1971 mm	1449 x 2056 mm
2ft. 6in. x 6ft. 6in. (762 x 1981 mm)	=	737 x 1971 mm	1625 x 2056 mm
2ft. 9in. x 6ft. 6in. (838 x 1981 mm)	=	813 x 1971 mm	1701 x 2056 mm
3ft. 0in. x 6ft. 6in. (914 x 1981 mm)	=	900 x 1971 mm	1888 x 2056 mm
2ft. 4in. x 6ft. 6in. (711 x 1981 mm)	=	675 x 1971 mm	1463 x 2056 mm
2ft. 8in. x 6ft. 8in. (813 x 2032 mm)	=	775 x 2020 mm	1663 x 2105 mm
2ft. 10in. x 6ft. 8in. (864 x 2032 mm)	=	850 x 2020 mm	1838 x 2105 mm



THEN CHOOSE THE FRAME SIZE/FINISHED WALL THICKNESS (FW)

i.e. either 75 mm frame thickness with 12.5 mm plasterboard either side (i.e. FW=100 mm) or 100 mm frame thickness with 12.5 mm plasterboard either side (i.e. FW=125 mm).



FD30 APPROVED SYSTEM? NO PROBLEM

We have a single and double ECLISSE CLASSIC Pocket Door System that is fully approved for use with any timber FD30 Fire Doors (44 mm). Both the CLASSIC SINGLE and DOUBLE FD30 systems include special high density jambs with integrated architrave for high fire resistance.

Fully approved for use with the ECLISSE BIAS® (Soft Close with Built-In Anti-Slam technology).



CLASSIC DOUBLE




CHOOSE EITHER

	DOOR SIZE	PASSAGE SIZE	FRAME SIZE
	STANDARD DW x DH	STANDARD PW x PH	STANDARD W x H
	626 x 2040 mm	= 1200 x 2030 mm	2494 x 2115 mm
	726 x 2040 mm	= 1400 x 2030 mm	2894 x 2115 mm
	826 x 2040 mm	= 1600 x 2030 mm	3294 x 2115 mm
	926 x 2040 mm	= 1800 x 2030 mm	3694 x 2115 mm
	1026 x 2040 mm	= 2000 x 2030 mm	4094 x 2115 mm
	2ft. 0in. x 6ft. 6in. (610 x 1981 mm)	= 1170 x 1971 mm	2464 x 2056 mm
	2ft. 3in. x 6ft. 6in. (686 x 1981 mm)	= 1322 x 1971 mm	2816 x 2056 mm
	2ft. 6in. x 6ft. 6in. (762 x 1981 mm)	= 1474 x 1971 mm	3168 x 2056 mm
	2ft. 9in. x 6ft. 6in. (838 x 1981 mm)	= 1626 x 1971 mm	3320 x 2056 mm
	3ft. 0in. x 6ft. 6in. (914 x 1981 mm)	= 1800 x 1971 mm	3694 x 2056 mm
	2ft. 4in. x 6ft. 6in. (711 x 1981 mm)	= 1350 x 1971 mm	2844 x 2056 mm
	2ft. 8in. x 6ft. 8in. (813 x 2032 mm)	= 1550 x 2020 mm	3244 x 2105 mm
	2ft. 10in. x 6ft. 8in. (864 x 2032 mm)	= 1700 x 2020 mm	3594 x 2105 mm

THEN CHOOSE THE FRAME SIZE/FINISHED WALL THICKNESS (FW)

i.e. either 75 mm frame thickness with 12.5 mm plasterboard either side (i.e. FW=100 mm) or 100 mm frame thickness with 12.5 mm plasterboard either side (i.e. FW=125 mm).



FD30 APPROVED SYSTEM? NO PROBLEM



NO RESTRICTIONS WITH ECLISSE - We offer single AND double **FD30 approved systems**.

The CLASSIC SINGLE FD30 Pocket Door System is to suit a 75 mm stud.

The CLASSIC DOUBLE FD30 Pocket Door System is available to suit 70 mm stud.

See website for more details on finished wall thickness, frame sizes and passage sizes.



Our FD30 Pocket Door Systems has been fully tested by EXOVA Ltd, a laboratory based testing company, and certified by International Fire Consultants Group to BS 476: Part 22:1987.


Field of Application Report no. PAR/10057/01 Revision C.

CLASSIC SINGLE



THE ECLISSE ADVANTAGE

- Full galvanised steel frame with integrated pocket and metal door post
- Use your own standard UK door panel
- Full timber lining kit
- Wide range of accessories and door furniture
- 15 year guarantee




FULL POCKET MADE FROM STRONG PROFILES

The horizontal reinforced bars are formed from 0.7 mm galvanised steel into strong dovetail sections that fit to the reinforced verticals to form a robust pocket.



MAINTENANCE FREE TRACK AND RUNNERS

Smooth and quiet runners. Sealed in the track so they cannot jump out. Tested to 100,000 open and close cycles.



ANTI-WARP UNDER DOOR PROFILE

This fits into a channel routed into the underside of the door and cannot be seen. It locates on the spigot of the self-centering door guide resulting in a smooth opening and closing action even if the door was to warp.



FULL FSC TIMBER LINING / JAMB KIT

Quality jamb kit with dust brushes, rubber bumpers and recessed doorpost for a really professional finish.

CLASSIC DOUBLE



EXTRACTABLE TRACK

Extract the track and running gear and retrofit accessories without ever having to break into the wall. No hassle, no mess, no new wall finishing.




SELF-CENTERING DOOR GUIDE

Screws into the frame and so is perfectly aligned in seconds.



VERTICAL REINFORCED BARS

ECLISSE pocket entrance verticals are made from 1.2 mm galvanised steel specially formed into super strong profiles which greatly increase the strength and significantly reduce the flex.



DOORSTOPS FRONT AND REAR

Easily adjust the amount the door protrudes from the pocket.

CLASSIC COLLECTION: THE JAMB KIT

NOT ALL SUPPLIERS GO TO THESE LENGTHS FOR THE PERFECT FINISH!

COMPONENTS	
A	Top horizontal jambs*
B	Vertical pocket jambs
C	Wooden door post
s	Brushes
g	Rubber bumpers
*Supplied in one piece to be cut as required	

A PROFESSIONAL FINISH

We could have left it at that - a brilliant galvanised steel sliding pocket door system... but the overall look of the finished article is extremely important to customer satisfaction. So rather than leaving it to chance we designed our own timber lining kit (jambs) and supply these AS STANDARD.


NOT JUST ANY PIECE OF WOOD

The attractive high quality jambs are made from finger jointed fir for long term stability with a light, real wood cherry walnut veneer* that can be painted or stained. The pieces include recesses into which the brushes are fitted.

DESIGN DETAILS


Why do we go to all the trouble to produce a recessed wooden door post? Well if you think about it, a flat door post would not guarantee a perfect shut line between the door and the post however a recessed post allows the door to enter into the post so creating a perfect shut line. We also include rubber bumpers to insert into the corners of the recess so the door doesn't bang against wood every time it closes!

To cope with both 35 mm and 44 mm thick doors we include two sets of brushes 15 mm and 10 mm so they always give you the perfect finish.




(Architrave not included)

STD JAMBS FOR SINGLE DOOR



STD JAMBS FOR DOUBLE DOORS




* We reserve the right to supply jambs in a different wood or finish.



FOR FIRE JAMBS SEE eclisse.co.uk

INSTALLATION



75 mm stud work plus 12.5 mm plasterboard on each side gives a finished wall thickness of 100 mm.
100 mm stud work plus 12.5 mm plasterboard on each side gives a finished wall thickness of 125 mm

PLEASE ALWAYS CLARIFY FINISHED WALL THICKNESS.

BUT there are other combinations, please take the time to look at this table and familiarise yourself with the different sizes.

STUDWORK / POCKET ASSEMBLY / WALL THICKNESS

	Studwork	Frame Assembly	Finished Wall Thickness	Plasterboard ON EACH SIDE		Jamb needed
				On Pocket	On Studwork	
WOOD STUD	63 mm	75 mm	100 mm	One 12.5 mm layer	One 6 mm layer + One 12.5 mm layer	100 mm
	70 mm	75 mm	100 mm	One 12.5 mm layer	One 15 mm layer	100 mm
	75 mm	75 mm	100 mm	One 12.5 mm layer	One 12.5 mm layer	100 mm
	89 mm	100 mm	125 mm	One 12.5 mm layer	One 6 mm layer + One 12.5 mm layer	125 mm
	95 mm	100 mm	125 mm	One 12.5 mm layer	One 15 mm layer	125 mm
	100 mm	100 mm	125 mm	One 12.5 mm layer	One 12.5 mm layer	125 mm
METAL STUD	70 mm	75 mm	100 mm	One 12.5 mm layer	One 15 mm layer	100 mm
	70 mm	75 mm	125 mm	Two 12.5 mm layer	One 15 mm layer + One 12.5 mm layer	125 mm (2nd rebate wood doors)
	95 mm	100 mm	125 mm	One 12.5 mm layer	One 15 mm layer	125 mm
	95 mm	100 mm	150 mm	Two 12.5 mm layer	One 15 mm layer + One 12.5 mm layer	125 mm use L shape architrave

FOR STUDWORK/FINISHED WALL THICKNESS FOR OUR FD30 SYSTEMS PLEASE SEE eclisse.co.uk



THE GLASS COLLECTION



Let the sunshine in!


Don't just use these systems for your ensuite... enhance natural light and maximise space in any part of your property with single and double Glass Pocket Doors. Frameless glass pocket doors are perfect for opening up and closing off an open plan living and dining space, or a kitchen and dining area. Or why not let more light into a hallway, utility or pantry with a frameless glass pocket door. With such a wide range of designs available you will be spoilt for choice!

Whether you prefer a minimalist design, an ornate pattern, or a stunning design hand painted by an Italian artist, we have options to suit all tastes. If you prefer, you could supply your own design... the options are endless!


Make a statement, improve and increase your space and create a brighter place to live!

Here are just a few examples, we have lots more, see:
eclisse.co.uk/Karis-Glass-Doors

SATIN



RIFLESSI



RIGHE 1



ACQUA



BOLLE



ROSA PESCO



JUNGLE



PUPA



THE GLASS COLLECTION



ANOUCHE



NEBBIA



BRIO



TRAMONTO



STARGATE



QUADRELLO



NINFE



CHIOMA



OBLIO



OBLIQUO



COLOUR



SMOKED GREY



ACCESSORIES

CREATE THE PERFECT POCKET DOOR...

SOFT CLOSE WITH ANTI-SLAM



ECLISSE BIAS®, Built-In Anti-Slam
SOFT CLOSE WITH ANTI-SLAM TECHNOLOGY
FOR SINGLE AND DOUBLE DOORS

This is a true anti-slam device that protects the door from being slammed on fingers by slowing it down towards the close position. Even when the door is slammed the ECLISSE BIAS® will slow the travel of the door as it closes.

- Invisible from the outside
- Easy to fit
- Can be retrofitted

BI-DIRECTIONAL SOFT CLOSE WITH ANTI-SLAM



ECLISSE BIAS® DS, Built-In Anti-Slam Double Side
BI-DIRECTIONAL SOFT CLOSE WITH ANTI-SLAM
TECHNOLOGY FOR SINGLE AND DOUBLE DOORS

All the benefits of the BIAS® but bi-directional. The BIAS® DS will soft-close the door as the door closes and also as it opens.

- Invisible from the outside
- Easy to fit
- Can be retrofitted

TOUCH LATCH



ECLISSE Touch Latch

SIMPLY PUSH THE LEADING EDGE OF THE DOOR AND THE DOOR IS RELEASED FROM THE POCKET

Enables a pocket door to sit fully flush back inside the pocket, removing the need for a leading edge finger pull. Push the leading edge of the door gently for it to then release allowing you to access the handle as normal.

- Invisible from the outside
- Easy to fit
- Compatible with BIAS®
- Can be used for single and double pocket door systems

Choose the **Syntesis® Touch Latch** for a Syntesis® Pocket Door System and a **Classic Touch Latch** for a Classic Pocket Door System.

ACCESSORIES

...WITH THESE FINISHING TOUCHES!

SELF-CLOSING SYSTEM



The ECLISSE self-closing mechanism is an ingenious device, completely enclosed inside the system, which allows the door to close by itself, automatically - with no input from you!

There is a self-closing mechanism suitable for the **Classic Single Pocket Door System** and also a self-closing mechanism suitable for the **Classic Double Pocket Door System**. Note: two items are required to be purchased for the double.

- Compatible with ECLISSE BIAS® Soft Close with Anti-Slam.
- Closing door speed can be adjusted.

Neither of these products are suitable for use in conjunction with our Syntesis® Flush range of pocket door systems.



DOUBLE DOOR CO-ORDINATION



There is an ECLISSE Co-ordination Kit for Classic Double Door System and an ECLISSE Co-ordination Kit for Syntesis® Flush Double Door System.

With these devices the **opening/closing of the both doors is co-ordinated** i.e. open or close one door, the other opens or closes at the same time. The coordination kit will slow down and close the double doors if they are no more than 20 kg each. Heavier doors will just be slowed down.



ECLISSE Co-ordination Kit for Classic Double Door System



ECLISSE Co-ordination Kit for Syntesis® Flush Double Door System

DOOR FURNITURE



A choice of round or square satin chrome flush pull sets for sliding pocket doors and bathroom/privacy locks. All with a 5-year guarantee.

ESSENTIALS ROUND FLUSH PULL SET External Diameter 56 mm




Note: For double doors order two sets

ESSENTIALS SQUARE FLUSH PULL SET 54.5 mm x 54.5 mm



Note: For double doors order two sets

ESSENTIALS ROUND BATHROOM/PRIVACY LOCK SET External Diameter 56 mm



ESSENTIALS SQUARE BATHROOM/PRIVACY LOCK SET 54.5 mm x 54.5 mm



Both styles come with an internal thumb turn and emergency release.

Suitable for 35 and 44 mm doors.

Each privacy lock set comes with a hook and latch mechanism.

Note: This lock will not allow your door to go flush back into the pocket.



DOOR FURNITURE



These ever popular Italian flush pulls and bathroom/privacy locks offer choice and flexibility with a variety of finishes and styles. The Firenze range comes with a 10-year guarantee.

FIRENZE ROUND FLUSH PULL SET

External Diameter 57 mm

Finishes: PB - AB - PCR - SCR - BLK



FIRENZE HALF MOON FLUSH PULL SET

External Diameter 57 mm

Finishes: PCR - SCR



FIRENZE LARGE 80 mm HALF CIRCLE FLUSH PULL SET

External Diameter 80 mm

Finishes: PCR - SCR



FIRENZE ROUND PRIVACY/BATHROOM LOCK SET

External Diameter 57 mm

Suitable for 35 and 44 mm door panels

Please specify when ordering

Finishes: PB - AB - PCR - SCR - BLK



Polished Brass
PB



Antique Brass
AB



Polished Chrome
PCR




Satin Chrome
SCR



Black Painted
BLK

INTRODUCING...




FLUSH POCKET DOOR FRAME:

- Easy to install 'Quick-Click' system
- Extractable track and maintenance free runners
- Adjust the rear door stop without removing the door
- Use your own door panel




REINFORCED FRAME WITH INNOVATIVE EDGE PROFILE

The frame is reinforced at key points to avoid strains that can cause cracks in the plaster. The special edge profile allows you to plaster up to the edge for a clean crisp finish. The pocket entrance verticals are made from extruded aluminium alloy for maximum strength. Assembles together with specially formed strong horizontal bars to make up a full pocket.



EXTRACTABLE TRACK, MAINTENANCE FREE RUNNERS AND SEALING STRIPS

This system also benefits from an extractable track and maintenance free runners. Extract the track and running gear without ever having to break into the wall. No hassle, no mess, no new wall finishing. The top of the door is concealed by paintable sealing strips.



ECLISSE SYNTESIS® FLUSH SKIRTING ADAPTER AND CONNECTORS


The skirting adapter allows skirting to be flush with the wall.

...FLUSH FINISH, NO ARCHITRAVES

FLUSH HINGED FRAME:


- Easy to install
- High strength aluminium frame with special edge profile for crisp plaster finish right up to the edge
- Purchase as doorset or frame only

The ECLISSE SYNTESIS® FLUSH COLLECTION is a complete range of flush or architrave free products that work in harmony with each other. The collection features a pocket door system without jambs or architrave, a concealed hinged door frame, a flush riser door system and a flush skirting board adapter. The emphasis is on uninterrupted, clean lines for an interior without fuss, where less is more.




SUPPLIED WITH MAGNETIC LATCH

The magnetic latch and strike plate allows the bolt to stay flush until the last minute, until nearly closed, when it is attracted to the strike plate.



HARDWARE KIT

Comes complete with 3 concealed hinges adjustable in 3 axes, hinge covers, magnetic latch, strike plate, seals and fixings.



SUPPLIED WITH OR WITHOUT DOOR

The door supplied is primed and ready to paint. The benefit of ordering the door set i.e. frame and door, is that the door will already have all the required rebates and also cut out for the hinges and latch.

SIZE GUIDES, TECHNICAL AND INSTRUCTIONS, PLEASE VISIT OUR WEBSITE AT eclisse.co.uk

5 REASONS TO ORDER FROM US



TRADE DISCOUNT:

Call us on 0333 577 0828 to ask about our great discounts for trade and large projects.



FREE Next Working Day Delivery:

We aim to give you a next working day delivery if you order before 12 noon on a working day. Delivery is free for all stock frames and accessories/door furniture purchased on the same order.



EXPERT and FRIENDLY Customer Service:

The members of our UK based Customer Service Team are ECLISSE product specialists. They have attended courses, assembled products and probably answered every question about pocket doors you can imagine.



GREAT QUALITY:

ECLISSE have become the benchmark for high quality, engineered pocket door systems. Our pocket doors have been comprehensively tested for strength, durability and corrosion and have a great 15 year guarantee.



ONLINE Installation Videos:

Not installed an ECLISSE Pocket Door System before?
Not a problem... our online YouTube installation videos will help.
Just follow the link from the home page of our website www.eclisse.co.uk

EASY ORDERING



Order over the phone: 0333 577 0828

Our friendly customer service team will be happy to take your order or answer any queries you may have.



Order online:

Fast and secure ordering online from eclisse.co.uk.



How to pay:

We accept the following major debit and credit cards Mastercard, UK Maestro, Visa, Visa Debit, Visa Electron.

AND THERE'S MORE...



PEACE OF MIND:

We keep a comprehensive range of spare parts in stock so if you should lose a screw or two on site just give us a call on **0333 577 0828**, and within reason we will supply what you are missing free of charge.



DON'T SCRATCH YOUR HEAD IF SOMETHING'S NOT CLEAR, GIVE US A CALL ON **0333 577 0828**, YOU WILL FIND A FRIENDLY VOICE THAT CAN HELP YOU WITH ANY ASPECTS OF OUR PRODUCTS. YOU CAN ALWAYS USE THE QR CODE TO GO STRAIGHT TO OUR INSTALLATION PAGES ON OUR WEB SITE **ECLISSE.CO.UK**

ALSO IN THE CLASSIC COLLECTION...



CURVED

SINGLE OR DOUBLE

Continue the curve and create architecturally sophisticated design with movement and shape. Make a spectacular entrance or exit with this stunning feature. Doors supplied.



NOVANTA

FOLD AND SLIDE

This is the little genius of the ECLISSE range. Half the door slides into the wall and half of the door folds back discretely. When there isn't enough space for a full pocket and you have restricted space to achieve your ideal layout for a downstairs loo or utility area the NOVANTA provides the answer. Door supplied.



TELESCOPIC

TWO DOORS INTO ONE POCKET

The telescopic system allows two full sized door panels to slide back into the same pocket in the wall. For the widest possible opening choose the double version incorporating four door panels; two slide back into a pocket on the left and two slide back into a pocket on the right. Add a synchronisation system to allow both doors on one side to travel back into the pocket smoothly and simultaneously.



UNILATERAL

TWO DOORS INTO A CENTRAL POCKET

Perfect for narrow hallways and corridors where wall space is limited. The UNILATERAL allows you to have two doors side by side and only one wall pocket.

FAQ's

FRAME?

Q. DO ECLISSE FRAMES COME SUPPLIED WITH THE DOORS?

A. No, you can use any standard size door panel you like, between 35 and 44 mm thick, we have a frame to fit most standard sizes. We do however supply Glass Pocket Doors where the frameless glass door is supplied.

Q. WHAT ARE THE LIMITS ON THE DOOR SIZES?

A. If you have a non standard door panel size, between 35 and 44 mm thick, we can supply a bespoke frame to fit. Maximum bespoke sizes vary for different products (see website for details).

Q. DO I NEED A THRESHOLD?

A. No the floor surface remains uninterrupted, you can continue it through the doorway.

Q. DO YOU OFFER INSTALLATION?

A. No, we supply only because these are relatively easy to assemble and install by Builders, Joiners or even competent DIYers.

Q. WHAT GUARANTEE DO YOU OFFER?

A. The ECLISSE steel system is guaranteed for 15 years against material or manufacturing defects.

JAMBS?

Q. ARE THERE DIFFERENT JAMBS FOR DIFFERENT FRAMES?

A. Jambs kits/timber lining kits are supplied with our Classic range of products (i.e. that require finishing off with decorative architrave). For the ECLISSE CLASSIC SINGLE and DOUBLE systems you need to know your stud thickness and finished wall thickness when ordering to determine which jamb kit is relevant.

NOTE: our FD30 products have a special jamb/architrave section that is supplied with the frame.

Q. WHAT MATERIALS ARE THEY MADE OF?

A. We supply high quality jambs made from finger jointed fir for long term stability with a real wood cherry veneer that is paint or stain ready. We do however reserve the right to supply jambs in a different wood or finish but of equivalent quality.

NOTE: our FD30 jamb/architrave sections are made from a special high density slow burning wood.

Q. WHY DO WE USE BRUSHES AROUND THE DOOR?

A. The brushes protect the pocket from dust and debris and also compensate from any slight warping of your door.

Q. SO WHO NEEDS A WOODEN DOOR POST?

A. The recessed door post ensures that when your door is closed it will have a perfect closure line and not allow a chink of light through which is what can happen with a flat door post. Rubber bumpers fit into the recesses of the door post to soften the closing noise.

GLASS DOORS?

Q. IS THE GLASS TOUGHENED?

A. Our frameless glass doors are tempered (toughened) to the latest European standards. Care should always be taken when installing any glass door; if you were to drop it on a corner it would most likely break. However with our tempered glass doors, if this did happen, the glass would break safely into thousands of tiny pieces unlike a glass door that hasn't been tempered which would break into sharp sections of glass. You can see the glass tempering certificate in the technical section of our website.

Q. CAN I HAVE MY OWN DESIGN?

A. Within reason yes, we can even print your photo on the doors (hi res photo needed though).

Q. WHAT ABOUT HANDLES?

A. Take a look at www.eclisse.co.uk...

Q. WILL THE DOOR DROP DOWN OVER TIME?

A. Our 10 mm doors use ultra safe bracket designed by us for zero drop down over time.



ECLISSE UK - Richmond House - Occupation Lane - Gonerby Moor - Grantham - Lincs NG32 2BP
Tel 0333 577 0828 - Fax 01476 560951 - info@eclisse.co.uk - eclisse.co.uk

LONDON SHOWROOM - Business Design Centre - Unit 125
52 Upper Street - Islington - London - N1 0QH - showroom@eclisse.co.uk

Follow us on:

